GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Vigilance and Enforcement Report – Allegations of irregularities against Sri S. Subba Rao, Chairman, Water Users Association No.259, Morthota Distributaries Committee No.37, Nalluripalem, Repalle (M), Guntur Dist – Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of Sri K.Srinivasa Rao, Superintending Engineer, Quality Control & Quality Assurance Circle, Nuziveedu, Krishna District as Inquiring Authority – Orders- Issued.

WATER RESOURCES (Vig.II-V&E.2) DEPARTMENT

G.O.Rt.No.611 Dated:29.08.2016.

Read the following:-

1. From the Director General (Vig.&Enft.) & E.O. Prl. Secy. to Govt., G.A.D. Vigilance Report no.23 (123/V&E/E1/2013) dt.25.10.2014
2. G.O.Rt.No.134, WR (Vig.II (V&E.A2)) Dept, dated 12.02.2016.
3. G.O.Rt.No.135, WR (Vig.II (V&E.A2)) Dept, dated 12.02.2016.
4. From Sri M.Nageswara Rao, DEE, written statement of defence, dated: 01.04.2016.
5. From Smt. P.Purnima, AEE, written statement of defence, dated: 04.04.2016.

<<<>>>

ORDER

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers:-

1) Sri M.Nageswara Rao, DEE
2) Smt.P.Poornima, AEE.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints K.Srinivasa Rao, Superintending Engineer, Quality Control & Quality Assurance Circle, Nuziveedu, Krishna District as the Inquiring Authority to inquire into the charges framed against the above said Two (2) charged officers.

(p.t.o.)

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the Charged Officers are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit his report within two months in the prescribed proforma, as per the orders issued in G.O.Ms.No.679, G.A. (Ser.C) Department, dated 01.11.2008 and Circular Memo No.56183/Ser.C/99, G.A.(Ser.C) Department, dated 15.10.1999.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), Water Resources Department, A.P., Hyderabad

Sri K.Srinivasa Rao, Superintending Engineer, Quality Control & Quality Assurance Circle, Nuziveedu, Krishna District and the Inquiring Authority (w.e).

Copy to:-

The Engineer-in-Chief (AW), Water Resources Department, Hyderabad for information, with a request to submit the dated acknowledgements of the Charged Officers to Government without any delay.

SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER